

LUXURY
VINYL
TILES

INSPIRATION CLICK

FLOOR
IS THE NEW
PLAYGROUND



THE ULTIMATE
FLOORING EXPERIENCE



iD INSPIRATION CLICK

The iD Inspiration Click range features a refined palette of expressive wood textures. The motifs on all 20 designs were exclusively created to match the natural essence of wood.

Contemporary Oak / Grey - Natural - Brown



iD INSPIRATION CLICK

iD Inspiration Click is an ideal solution for semi-commercial areas. It requires little to no subfloor preparation and can be installed over existing flooring. Its unique click system makes for a floating installation, without the need of glue, making installation 35% quicker than with glue-down products and 15% quicker than with other click systems*.

The new iD Inspiration Click collection features 20 elegant colours that best express the latest trends.

THE IDEAL BLEND OF DURABILITY AND SUSTAINABILITY

- Hygienic surface treated with the Tarkett unique TopClean XP coating that strengthens it, extends the life-cycle and simplifies cleaning and maintenance.

A SUSTAINABLE SOLUTION



Helps improve indoor air quality with VOC emissions below quantifiable levels, under $10\mu\text{g}/\text{m}^3$ after 28 days (10 times below the official standards level).



100% recyclable.



Phthalate-free technology based on alternative plasticizers.



Made in Europe to benefit from our best-in-class industrial expertise.

*Estimation - not binding

Contemporary Oak / Grey - Natural - Brown


WOOD

AUTHENTIC STONES

Contemporary Oak



Terrazzo




ELM



Patina Ash



Oxide



Patina Ash



Rustic Oak




MATERIAL EFFECTS



ACCESSORIES


SKIRTING



PVC DECORATIVE SKIRTING

- Compact skirting with decorative film and PUR surface treatment to perfectly match all designs
- 📦 2.02 lm skirting in packs x 10

ACCESSIBILITY




ALUMINIUM STAIRNOSE


- Aluminium stairnose, to be screwed over the floor
- Silver 1434 011
- 📦 10 units of 2.6 lm

3D STUD

- Accessibility accessory
- Ready-to-use podotactile studs to be simply fitted on top of the existing floorcovering
- White 1440 050
- Grey 1440 051
- Black 1440 052
- Ivory 1440 053
- Red 1440 054
- Yellow 1440 055
- 📦 5mm x 25mm stud in packs x 200



UNDERLAY




TARKOMFORT PREMIUM

Provides high-impact sound reduction of up to 19dB and in-room noise reduction (72dB)

● Black 24992 030

📦 1 roll of 1m x 15m



TARKOMFORT PRO


Acoustic Performance

■ Powerful acoustic insulation, reducing both impact sound and in-room noise (13dB)

■ Quick and easy to install

■ Woven anti-slip surface to grip floor covering


● Brown 2499 2020



Rustic Oak / Stone Brown- Light Grey - Medium Grey - Dark Grey

ACCESSORIES


PROFILE



BENDABLE PROFILE

Aluminium stop profile, to be screwed


- Silver 1456 011
 - Stainless Steel 1456 012
- 📦 10 units of 2.5 lm



TRANSITION STRIP

Very high traffic aluminium transition strip, to be screwed


- Silver 1451 011
 - Stainless Steel 1451 012
- 📦 10 units of 2.7 lm



RAMP PROFILE

Very heavy traffic aluminium transition strip, to be screwed

- Silver 1454 011
 - Stainless Steel 1454 012
- 📦 10 units of 2.7 lm



TRANSITION STRIP

General traffic aluminium transition strip, to be screwed

- Silver 1451 021
 - Stainless Steel 1451 022
- 📦 10 units of 2.7 lm



TECHNICAL DATA iD INSPIRATION CLICK

Certification & classification	Standards	iD Inspiration Click
Type of floor covering	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering
Classification	EN ISO 10874	Domestic: 23 Commercial: 33 Industrial: 42
Technical characteristics		
Total thickness	EN ISO 24346	4,5 mm
Wear layer thickness	EN ISO 24340	0,55
Total weight	EN ISO 23997	8000 g/m ²
Wear layer binder content	EN ISO 10582	Type I
Dimensions	EN ISO 24342	19,05 x 121,10 cm, 7 planks/box = 1,61 m ² 24,05 x 149,10 cm, 5 planks/box = 1,79 m ² 32,38 x 60,10 cm, 9 tiles/box = 1,75 m ²
Surface treatment (PUR)		Yes - TopCleanXP™
Beveled edges		Yes
Technical performances		
Dimensional stability	EN ISO 23999	≤ 0,10 %
Reaction to fire	EN 13501-1	B _n -s1 loose laid over concrete substrate
Residual indentation	EN ISO 24343-1	≤ 0,10 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 - EN 425	No damage
Curl resultant to heat	EN ISO 23999	≤ 2 mm
Reduction of in-room impact noise	EN ISO 31-074	Class C (L _{n,r,w} < 85 dB)
Impact sound reduction	EN ISO 717-2	ΔL _w = 3 dB
Thermal resistance	ISO 10456	0,04 m ² K/W
Light fastness	EN ISO 105-B02	≥ 6
Slip resistance	DIN 51130 EN 13893	R9 / R10 depending on embossing μ ≥ 0,30
Chemical resistance	EN ISO 26987	Not affected (0)
Electrical properties	EN 1815 EN 1081	< 2 kV on concrete ≥ 10 ⁹ Ohm
Peeling resistance	EN ISO 24345	≥ 50N / 50mm
Underfloor heating		Suitable - max. 27 °C

The above information is subject to modification for the benefit of further improvement. (01/17).


Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 4820 5000 00

PRODUCTS & ACCESSORIES DETAILS

DESIGN	COLOUR	19.05 x 121.10 cm	24.05 x 149.10 cm	32.38 x 60.10 cm	LRV	SKIRTING
Contemporary Oak	Grey		24265109		28,20%	26640 346
	Grege		24265110		30,32%	26640 347
	Natural		24265111		26,42%	26640 348
	Brown		24265112		16,06%	26640 349
Elm	Light Grey		24265113		45,88%	26640 350
	Beige		24265114		45,40%	26640 351
	Natural		24265115		38,47%	26640 352
Oxide	Copper			24266118	10,85%	26640 359
	Steel			24266119	18,07%	26640 360
	Black Steel			24266120	10,67%	26640 361
Patina Ash	Beige	24264106			43,21%	26640 343
	Brown	24264107			29,79%	26640 344
	Grey	24264108			31,03%	26640 345
Rustic Oak	Stone Brown	24264121			7,25%	26640 370
	Dark Grey	24264122			14,18%	26640 371
	Medium Grey	24264123			21,68%	26640 372
	Light Grey	24264124			45,58%	26640 373
Terrazzo	Grey			24266129	23,18%	26640 378
	Green			24266130	24,02%	26640 379
	Anthracite			24266131	9,42%	26640 380

iD Inspiration Click



According to Classification ISO 10874 - EN 685



FLOOR IS THE NEW PLAYGROUND

flooristhewnewplayground.tarkett.com

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE: Baltic Countries:** Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka – Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZA0 Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org.zlozka – Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico /Central America: Tarkett Latam Mexico – Tel. +55 11 98410 9310



www.tarkett.com